

Inventor Name Search Result

Your Search was:

Last Name = BOYCE

First Name = JILL

| Application# | Patent# | PG Pub# | Status | Date Filed | Title | Examiner Name | Inventor Name |
|--------------------------|-------------------------|---------|--------|------------|--|---------------|---------------|
| 08585309 | Not Issued | | 169 | 01/11/1996 | METHODS AND APPARATUS FOR ENCODING VIDEO DATA IN A MANNER THAT IS WELL SUITED FOR DECODING BY REGULAR OR DOWNCONVERTING DECODERS | | BOYCE, JILL |
| 08587207 | 5825927 | | 250 | 01/16/1996 | METHODS AND APPARATUS FOR ENCODING VIDEO DATA IN A MANNER THAT IS WELL SUITED FOR DECODING BY REGULAR OR DOWNCONVERTING DECODERS | PATEL,JAYANTI | BOYCE, JILL |
| 09100632 | 5974185 | | 250 | 06/19/1998 | METHODS AND APPARATUS FOR ENCODING VIDEO DATA USING MOTION VECTORS FOR DECODING BY REGULAR OR DOWNCONVERTING DECODERS | PATEL,JAYANTI | BOYCE, JILL |
| 60404884 | Not Issued | | 159 | 08/21/2002 | Watermark creation at user devices with license information | | BOYCE, JILL |
| 60442110 | Not Issued | | 159 | 01/23/2003 | Preventing error propagation in a video sequence | | BOYCE, JILL |
| 60527895 | Not Issued | | 159 | 12/05/2003 | Film grain simulation and comfort noise addition specification for DirecTV A3 system | | BOYCE, JILL |
| 60823748 | Not Issued | | 159 | 08/28/2006 | METHOD AND APPARATUS FOR DETERMINING EXPECTED DISTORTION IN DECODED VIDEO BLOCKS | | BOYCE, JILL |
| 61432836 | Not Issued | | 20 | 01/14/2011 | NAL UNIT HEADER FOR SUPPORTING QUALITY/SPATIAL SCALABILITY | | BOYCE, JILL |
| 61432842 | Not Issued | | 20 | 01/14/2011 | SEI MESSAGE FOR DESCRIBING TEMPORAL PICTURE CODING STRUCTURE | | BOYCE, JILL |
| 61432860 | Not Issued | | 20 | 01/14/2011 | HIGH LAYER SYNTAX FOR SIMPLER TEMPORAL SCALABILITY | | BOYCE, JILL |
| 61451296 | Not Issued | | 20 | 03/10/2011 | TEMPORAL SWITCHING POINT BY TEMPORAL LAYER | | BOYCE, JILL |
| 61451303 | Not Issued | | 20 | 03/10/2011 | RENDER-ORIENTATION INFORMATION IN VIDEO BITSTREAM | | BOYCE, JILL |
| 61451454 | Not Issued | | 20 | 03/10/2011 | DEPENDENCY PARAMETER SET FOR SCALABLE VIDEO CODING | | BOYCE, JILL |
| 61451462 | Not Issued | | 20 | 03/10/2011 | Signaling Number of Active Layers in Video Coding | | BOYCE, JILL |

| | | | | | | | |
|-----------------|----------------|-------------|-----|------------|---|------------------|----------------|
| <u>61466123</u> | Not Issued | | 20 | 03/22/2011 | Alternative Block Coding Order in Video Coding | | BOYCE, JILL |
| <u>08311811</u> | <u>5592299</u> | | 250 | 09/26/1994 | METHOD AND APPARATUS FOR REDUCING THE AMOUNT OF DATA REQUIRED TO REPRESENT A VIDEO FRAME | DIN,LUANNE | BOYCE, JILL M |
| <u>09668242</u> | <u>7151754</u> | | 150 | 09/22/2000 | COMPLETE USER DATAGRAM PROTOCOL (CUDP) FOR WIRELESS MULTIMEDIA PACKET NETWORKS USING IMPROVED PACKET LEVEL FORWARD ERROR CORRECTION (FEC) CODING | LY,ANH VU | BOYCE, JILL M. |
| <u>11348864</u> | Not Issued | 20060156198 | 161 | 02/07/2006 | Complete user datagram protocol (CUDP) for wireless multimedia packet networks using improved packet level forward error correction (FEC) coding | LY,ANH VU | BOYCE, JILL M. |
| <u>60416303</u> | Not Issued | | 159 | 10/04/2002 | Scaled motion vector prediction for bipredictive pictures | | BOYCE, JILL M. |
| <u>07788026</u> | <u>5208673</u> | | 150 | 11/05/1991 | NOISE REDUCTION IN FRAME TRANSMITTED VIDEO SIGNALS | LEE,MICHAEL | BOYCE, JILL M. |
| <u>08003887</u> | Not Issued | | 161 | 01/13/1993 | DIGITAL VIDEO RECORDING DEVICE | NGUYEN,HUY | BOYCE, JILL M. |
| <u>08003889</u> | <u>5377051</u> | | 150 | 01/13/1993 | VIDEO RECORDER COMPATIBLE RECEIVER WITH TRICK PLAY IMAGE ENHANCEMENT | WRIGHT,JENNIFER | BOYCE, JILL M. |
| <u>08003930</u> | Not Issued | | 161 | 01/13/1993 | DIGITAL VIDEO RECORDING DEVICE WITH TRICK PLAY CAPABILITY | CHEVALIER,ROBERT | BOYCE, JILL M. |
| <u>08184716</u> | <u>5444575</u> | | 250 | 01/21/1994 | METHOD FOR RECORDING DIGITAL DATA USING A SET OF HEADS INCLUDING A PAIR OF CO-LOCATED HEADS TO RECORD DATA AT A RATE LOWER THAN THE FULL RECORDING RATE POSSIBLE USING THE SET OF HEADS | WAMSLEY,PATRICK | BOYCE, JILL M. |
| <u>08228949</u> | <u>5805762</u> | | 250 | 04/18/1994 | VIDEO RECORDING DEVICE COMPATIBLE TRANSMITTER | CHEVALIER,ROBERT | BOYCE, JILL M. |
| <u>08289600</u> | <u>5933567</u> | | 250 | 08/12/1994 | METHOD AND APPARATUS FOR CONTROLLING THE POSITION OF THE HEADS OF A DIGITAL VIDEO TAPE RECORDER DURING TRICK PLAY OPERATION AND FOR RECORDING DIGITAL DATA ON A TAPE | NGUYEN,HUY | BOYCE, JILL M. |
| <u>08293639</u> | <u>5623344</u> | | 250 | 08/19/1994 | DIGITAL VIDEO RECORDING DEVICE WITH TRICK PLAY CAPABILITY | CHEVALIER,ROBERT | BOYCE, JILL M. |
| <u>08298015</u> | <u>5778143</u> | | 250 | 08/30/1994 | METHOD AND APPARATUS FOR THE SELECTION OF DATA FOR USE IN VTR TRICK PLAYBACK OPERATION IN A SYSTEM USING PROGRESSIVE PICTURE REFRESH | CHEVALIER,ROBERT | BOYCE, JILL M. |
| <u>08298524</u> | <u>5717816</u> | | 150 | 08/30/1994 | METHOD AND APPARATUS FOR THE SELECTION OF DATA FOR USE IN VTR TRICK PLAYBACK OPERATION IN A SYSTEM USING INTRA-CODED VIDEO FRAMES | CHEVALIER,ROBERT | BOYCE, JILL M. |

| | | | | | | | |
|-----------------|----------------|--|-----|------------|--|------------------|----------------|
| <u>08320481</u> | <u>5614952</u> | | 150 | 10/11/1994 | DIGITAL VIDEO DECODER FOR DECODING DIGITAL HIGH DEFINITION AND/OR DIGITAL STANDARD DEFINITION TELEVISION SIGNALS | BRITTON,HOWARD | BOYCE, JILL M. |
| <u>08333097</u> | <u>5576902</u> | | 150 | 11/01/1994 | METHOD AND APPARATUS DIRECTED TO PROCESSING TRICK PLAY VIDEO DATA TO COMPENSATE FOR INTENTIONALLY OMITTED DATA | CULLEN,LARRY | BOYCE, JILL M. |
| <u>08339436</u> | <u>5635985</u> | | 150 | 11/14/1994 | A LOW COST JOINT HD/SD TELEVISION DECODER METHODS AND APPARATUS | BRITTON,HOWARD | BOYCE, JILL M. |
| <u>08340683</u> | <u>5887115</u> | | 250 | 11/16/1994 | METHOD AND APPARATUS FOR IMPLEMENTING A VIDEO TAPE RECORDER FOR RECORDING DIGITAL VIDEO SIGNALS HAVING EITHER A FIXED OR VARIABLES DATA TRANSMISSION RATE | CHEVALIER,ROBERT | BOYCE, JILL M. |
| <u>08383273</u> | <u>5729648</u> | | 150 | 02/03/1995 | METHOD AND APPARTUS FOR SELECTING ENCODED VIDEO DATA FOR USE DURING VIDEO RECORDER TRICK PLAY OPERATION | CHEVALIER,ROBERT | BOYCE, JILL M. |
| <u>08385390</u> | <u>5493456</u> | | 250 | 02/07/1995 | METHOD AND APPARATUS FOR INCREASING THE RECORDING TIME OF A DIGITAL VIDEO TAPE RECORDER | WAMSLEY,PATRICK | BOYCE, JILL M. |
| <u>08388769</u> | <u>5654759</u> | | 150 | 02/15/1995 | METHODS AND APPARATUS FOR REDUCING BLOCKINESS IN DECODED VIDEO | RAO,ANAND | BOYCE, JILL M. |
| <u>08462877</u> | <u>5583650</u> | | 150 | 06/05/1995 | DIGITAL RECORDING AND PLAYBACK DEVICE ERROR CORRECTION METHODS AND APPARATUS FOR USE WITH TRICK PLAY DATA | CHEVALIER,ROBERT | BOYCE, JILL M. |
| <u>08463336</u> | <u>5687275</u> | | 250 | 06/05/1995 | TRICK PLAY DATA INDENTIFICATION METHODS AND APPARATUS FOR USE WITH DIGITAL VIDEO RECORDING AND PLAYBACK DEVICES | CHEVALIER,ROBERT | BOYCE, JILL M. |
| <u>08464912</u> | <u>5614957</u> | | 150 | 06/05/1995 | DIGITAL PICTURE-IN-PICTURE DECODER | BRITTON,HOWARD | BOYCE, JILL M. |
| <u>08468147</u> | <u>5828421</u> | | 150 | 06/06/1995 | IMPLEMENTATION EFFICIENT DIGITAL PICTURE-IN-PICTURE DECODING METHODS AND APPARATUS | DIN,LUANNE | BOYCE, JILL M. |
| <u>08602882</u> | <u>5668918</u> | | 250 | 02/16/1996 | METHOD FOR RECORDING DIGITAL DATA USING A SERIES OF ADJUACENT HEADS OF ALTERNATING AZIMUTHS LOCATED ON A HAEDWHEEL TO RECORD DATA AT A RATE THAT IS LESS THAN THE FULL RECORDING RATE POSSIBLE USING THE HEAD | TRAN,THAI | BOYCE, JILL M. |
| <u>08616303</u> | <u>5726711</u> | | 250 | 03/15/1996 | INTRA-CODED VIDEO FRAME DATA PROCESSING METHODS AND APPARATUS | LE,VU | BOYCE, JILL M. |

| | | | | | | | |
|-----------------|----------------|-------------|-----|------------|--|--------------------|------------------------|
| <u>08663897</u> | <u>5673358</u> | | 250 | 06/14/1996 | METHOD FOR GENERATING A REDUCED RATE DIGITAL BITSTREAM BY SELECTING DATA AS A FUNCTION OF THE POSITION WITHIN AN IMAGE TO WHICH THE DATA CORRESPONDS | CHEVALIER,ROBERT | BOYCE, JILL M. |
| <u>08694904</u> | <u>5684539</u> | | 250 | 08/09/1996 | METHOD AND APPARATUS FOR PROCESSING ENCODED VIDEO DATA TO REDUCE THE AMOUNT OF DATA USED TO REPRESENT A VIDEO IMAGE | DIN,LUANNE | BOYCE, JILL M. |
| <u>08716784</u> | <u>5729649</u> | | 250 | 09/05/1996 | METHODS AND APPARATUS FOR RECORDING DATA ON A DIGITAL STORAGE MEDIUM IN A MANNER THAT FACILITATES THE READING BACK OF DATA DURING TRICK PLAY OPERATION | CHEVALIER,ROBERT | BOYCE, JILL M. |
| <u>10495029</u> | Not Issued | 20040244030 | 41 | 05/10/2004 | Video recording system and method for a plurality of individual users and categories of users | ALAM,MUSHFIKH | BOYCE, JILL MAC DONALD |
| <u>12225909</u> | Not Issued | 20090052543 | 30 | 10/01/2008 | Method and Apparatus for Redundant Video Encoding | KELLEY,CHRISTOPHER | BOYCE, JILL MAC DONALD |
| <u>08004158</u> | Not Issued | | 166 | 01/13/1993 | VIDEO RECORDING DEVICE COMPATIBLE TRANSMITTER | CHEVALIER,ROBERT | BOYCE, JILL MAC DONALD |
| <u>09505933</u> | <u>6167089</u> | | 250 | 02/14/2000 | Reduced cost methods and apparatus for decoding bi-directionally coded image data | BRITTON,HOWARD | BOYCE, JILL MACDONALD |
| <u>09709824</u> | <u>6249547</u> | | 150 | 11/10/2000 | Methods and apparatus for decoding high definition and standard definition digital video images using a single decoder apparatus | BRITTON,HOWARD | BOYCE, JILL MACDONALD |

[Search and Display More Records.](#)

| | | |
|------------------------|---------------------------------------|-----------------------------------|
| | Last Name | First Name |
| Search Another: | <input type="text" value="BOYCE"/> | <input type="text" value="JILL"/> |
| Inventor | <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)